



Aalborg Universitet

AALBORG UNIVERSITY
DENMARK

Dynamics and glass formation of aluminate liquids

An invited talk

Yue, Yuanzheng; Liu, Hao; Pan, R.K.; Tao, H.Z.; Shan, Z.T.; Greaves, G.N.

Creative Commons License
Unspecified

Publication date:
2017

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Yue, Y., Liu, H., Pan, R. K., Tao, H. Z., Shan, Z.T., & Greaves, G. N. (2017). *Dynamics and glass formation of aluminate liquids: An invited talk*. Abstract from XI Brazilian Symposium on Glasses and Related Materials, Curitiba, Brazil.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Dynamics and glass formation of aluminate liquids

Yuanzheng Yue^{1,2*}, Hao Liu^{1,2}, Ruikun Pan¹, Haizheng Tao¹, Zhitao Shan¹, G. Neville Greaves^{1,3}

¹ State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China

² Department of Chemistry and Bioscience, Aalborg University, DK-9220 Aalborg, Denmark

³ Department of Materials Science and Metallurgy, University of Cambridge, Cambridge CB3 0FS, UK.

*E-mail: yy@bio.aau.dk

We present our recent findings regarding the dynamics of calcium aluminates (CAs) in the regions of both the stable liquid and the metastable supercooled liquid, which were achieved by measuring the change of both viscosity and density with temperature using an advanced aerodynamic levitator (AL). This AL is capable of accessing the liquid dynamics at temperatures up to 3000 K, and in a broad range of supercooling (ΔT up to 500 K) for the studied calcium aluminates. Furthermore, AL enables vitrifying extremely poor glass-forming systems like aluminates due to the ultrafast quenching. Based on the temperature scaling of viscosity we observed a signature of the fragile-to-strong transition in all the five glass compositions with different $\text{CaO}/\text{Al}_2\text{O}_3$ ratios. The origin of this dynamical feature has been revealed by determining the responses of structure, density, glass transition temperature (T_g), liquidus temperature (T_m), crystallization temperature (T_c) to the variation in $\text{CaO}/\text{Al}_2\text{O}_3$ ratio. These responses are considerably different from those reported in literature. For instance, both T_g and T_g/T_m exhibit a threshold in the eutectic composition of $12\text{CaO}\cdot 7\text{Al}_2\text{O}_3$. There is an implication that the fragile-to-strong transition could be associated with the occurrence of oxygen triclusters and 5-coordinated aluminum. Furthermore, we discuss the structural origin of the ultralow glass-forming ability of CA systems.

Keywords: calcium aluminate, dynamics, levitator, viscosity, fragile-to-strong transition